

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20020093970".pn.	US-PGPUB	OR	OFF	2004/07/28 15:26
S2	601	370/469.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 15:21
S3	1032	370/445.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 11:03
S4	728	370/463.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 10:55
S5	2337	375/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 11:03
S6	208	725/111.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 15:56
S7	157	725/95.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 15:36
S8	6028	(TX or transmi\$6) same (RX or receiv\$4) same ( MAC or ( media adj access adj control\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:36
S9	117	370/469.ccls. and ( (TX or transmi\$6) same (RX or receiv\$4) same ( MAC or ( media adj access adj control\$2)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:29
S10	123	370/445.ccls. and ( (TX or transmi\$6) same (RX or receiv\$4) same ( MAC or ( media adj access adj control\$2)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 15:56

S11	47	375/222.ccls. and ( (TX or transmi\$6) same (RX or receiv\$4) same ( MAC or ( media adj access adj control\$2)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 15:56
S12	92	370/463.ccls. and ( (TX or transmi\$6) same (RX or receiv\$4) same ( MAC or ( media adj access adj control\$2)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 15:56
S13	63	725/111.ccls. and ( (TX or transmi\$6) same (RX or receiv\$4) same ( MAC or ( media adj access adj control\$2)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:17
S14	2862	((layer adj "2") or "L2") same ((layer adj "3") or "L3") with switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:31
S15	10	370/463.ccls. and ( ((layer adj "2") or "L2") same ((layer adj "3") or "L3") with switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:32
S16	3	375/222.ccls. and ( ((layer adj "2") or "L2") same ((layer adj "3") or "L3") with switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:32
S17	1	725/111.ccls. and ( ((layer adj "2") or "L2") same ((layer adj "3") or "L3") with switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:32
S18	3	370/445.ccls. and ( ((layer adj "2") or "L2") same ((layer adj "3") or "L3") with switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:32
S19	38	370/469.ccls. and ( ((layer adj "2") or "L2") same ((layer adj "3") or "L3") with switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:32
S20	3402	((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:02

S21	83	370/469.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:38
S22	89	370/445.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:38
S23	64	370/463.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:38
S24	34	375/222.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:38
S25	40	725/111.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:38
S26	8	((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) and (dual adj ( MAC or ( media adj access adj control\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:39
S27	43	((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2)) with downstream) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2)) with upstream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:16
S28	92	((first adj2 ( MAC or ( media adj access adj control\$2))) and (second adj2 ( MAC or ( media adj access adj control\$2))) and cabl\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:45
S29	263	((first adj2 ( MAC or ( media adj access adj control\$2))) and (second adj2 ( MAC or ( media adj access adj control\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:46
S30	9	((first adj2 ( MAC or ( media adj access adj control\$2)) with downstream) and (second adj2 ( MAC or ( media adj access adj control\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:27

S31	126	((TX or transmi\$6) with (( MAC or ( media adj access adj control\$2)) adj (function\$2 or entit\$2 or block\$2))) same ((RX or receiv\$4) with (( MAC or ( media adj access adj control\$2)) adj (function\$2 or entit\$2 or block\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:05
S32	43	((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2)) with downstream) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2)) with upstream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:17
S33	9	370/445.ccls. and ( ((TX or transmi\$6) with (( MAC or ( media adj access adj control\$2)) adj (function\$2 or entit\$2 or block\$2))) same ((RX or receiv\$4) with (( MAC or ( media adj access adj control\$2)) adj (function\$2 or entit\$2 or block\$2))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:30
S34	7	370/463.ccls. and ( ((TX or transmi\$6) with (( MAC or ( media adj access adj control\$2)) adj (function\$2 or entit\$2 or block\$2))) same ((RX or receiv\$4) with (( MAC or ( media adj access adj control\$2)) adj (function\$2 or entit\$2 or block\$2))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:20
S35	2	370/469.ccls. and ( ((TX or transmi\$6) with (( MAC or ( media adj access adj control\$2)) adj (function\$2 or entit\$2 or block\$2))) same ((RX or receiv\$4) with (( MAC or ( media adj access adj control\$2)) adj (function\$2 or entit\$2 or block\$2))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:21
S36	395	((layer adj "2") or (layer adj "3")) adj switch\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:30
S37	1	370/445.ccls. and (((layer adj "2") or (layer adj "3")) adj switch\$2 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:30
S38	2	370/463.ccls. and (((layer adj "2") or (layer adj "3")) adj switch\$2 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:31

S39	0	375/222.ccls. and (((layer adj "2") or (layer adj "3")) adj switch\$2 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:31
S40	15	370/469.ccls. and (((layer adj "2") or (layer adj "3")) adj switch\$2 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:31
S41	201	(first adj2 ( MAC or ( media adj access adj control\$2))) same (second adj2 ( MAC or ( media adj access adj control\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:31
S42	63	(dual adj (MAC or (media adj access adj control)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:32
S44	97	((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) same (IC or (integrated adj circuit\$2) or chip\$2) and fiber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:33
S45	348	((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) and (IC or (integrated adj circuit\$2)) and fiber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:37
S46	348	((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) and (IC or (integrated adj circuit\$2)) and fiber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:38
S47	13	725/111.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) and (IC or (integrated adj circuit\$2)) and fiber )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:38
S48	10	370/469.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) and (IC or (integrated adj circuit\$2)) and fiber )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:38

S49	15	370/463.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) and (IC or (integrated adj circuit\$2)) and fiber )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:53
S50	7	370/445.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) and (IC or (integrated adj circuit\$2)) and fiber )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:41
S51	8	375/222.ccls. and ( ((TX or transmi\$6) with ( MAC or ( media adj access adj control\$2))) same ((RX or receiv\$4) with ( MAC or ( media adj access adj control\$2))) and (IC or (integrated adj circuit\$2)) and fiber )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:43
S26 7	2	"6490727".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 09:43
S26 8	1602	370/465.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 15:21
S26 9	1443	370/466.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 15:22
S27 0	2800	fiber same switch\$3 same layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:23
S27 1	204	fiber same switch\$3 same layer same (processor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:49
S27 2	67	fiber same switch\$3 same layer same (processor or CPU) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:25

S27 3	40	fiber same ((layer\$3 adj "2") or "L2") same ((layer\$3 adj "3") or "L3") with switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 15:31
S27 4	58	fiber same ((layer\$3 adj "2") or "L2") same ((layer\$3 adj "3") or "L3") same switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 15:34
S27 5	84	fiber same ((link adj layer\$3 ) or (layer\$3 adj "2") or "L2") same ((network adj layer\$3 ) or(layer\$3 adj "3") or "L3") same switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 15:42
S27 6	77	fiber same ((link adj layer\$3 ) or (layer\$3 adj "2") or "L2") same ((network adj layer\$3 ) or(layer\$3 adj "3") or "L3") same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:42
S27 7	20	S268 and S270	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:50
S27 8	25	S269 and S270	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:50
S27 9	2	"6490727".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 14:59